

# UNITE® 60 4K 網路攝影機



將 120° 超廣角影像視野和 AI 追蹤技術與您自己選擇的麥克風和揚聲器相結合，享受非凡的協作體驗。

- > 超高清 4K HD 視訊、自動對焦與 3 倍數位變焦
- > 120° 超廣角影像視野
- > 具有視訊與電源功能的 USB 3.0 介面
- > 透過超高 SNR 可於 2D 和 3D 達到最佳雜訊抑制
- > 寬動態範圍支持實現最佳影像捕捉
- > 透過紅外線遙控或 UVC 協議控制攝影機功能
- > 相容與 Microsoft® Teams、Zoom™、WebEx™、Google® Meet™ 等最受歡迎的應用程式



#### 應用:

- 基於電腦控制的視訊會議
- 網路遠端會議
- 通訊整合

#### 適用地點:

- 小型協作空間
- 小型會議空間
- 行政辦公室



#### 人臉追蹤與語音辨識應用

AI 處理技術可選擇追蹤個人或對整個群組進行佈局，以實現完美的構圖和聚焦。



#### 方便容易安裝

用標準減震旋轉軸支撐，可輕鬆安裝於螢幕上



*Elevate Your Collaboration*

### 專業攝影機

## 不同的追蹤模式


### 追蹤參與會議者

攝影鏡頭可以自動偵測的所有與會者並追蹤他們，確保他們都適合視訊畫面。



### 主動式監聽喇叭

偵測正在說話的人並在他們移動時跟隨他們，使聲音頻率在會議中保持穩定。



### 追蹤人像

可選擇會議中的跟隨對象，被追蹤的移動對象不一定是說話者。

## 專業攝影機

## UNITE® 60 4K 網路攝影機

- Video System: 4K: downward compatible with 1080p30 and 720p
- 感應器: 1/2.5", CMOS
- Effective Pixels: 8.29M
- 掃描: Progressive
- 鏡頭: f=2.8mm, FOV: 120°
- 對焦模式: 自動對焦
- 最低照度: 0.05 Lux @ (F1.8, AGC ON)
- 遮蓋: 1/30s – 1/10000s
- 白平衡: Auto, Indoor, Outdoor, One Push, Manual
- 支援背光補償
- 數字降噪: 2D & 3D Digital Noise Reduction
- 水平觀賞角度: Wide angle up to 120°
- Electronic Pan Tilt Zoom
- 安裝簡單: Equipped with damping rotary shaft bracket to fit almost any display, easy to install, stable and reliable

## 音訊

- 內建陣列式麥克風

## USB 特色

- 操作系統: Windows 7 或以上
- 影像格式: 4K30, 1080p30, 1080p25, 720p30, 720p25, 960x540p30, 960x540p25, 640x360p30, 640x360p25, etc
- USB 影像通訊協定: UVC 1.0 /1.1
- 支援 UVC PTZ

## 輸入/輸出介面

- USB 介面: 1xUSB 3.0: Type B, female

## 通用範圍

- 輸入電壓: 5v (USB power supply)
- 電流消耗: 600 mA
- 功耗: 3.0 瓦
- 工作溫度: 14°F–104°F (-10°C–40°C)
- 一般溫度: -40°F–140°F (-40°C–60°C)
- MTBF: >30000 小時
- 重量: 0.74 磅 (0.34 千克)

- 產品編號: 910-2100-009

## 銷售和洽詢

## 總部

5225 Wiley Post Way  
Suite 500  
Salt Lake City, UT 84116

## 美國 &amp; 加拿大

Tel: 801.975.7200

## 國際

Tel: +1.801.975.7200

## 銷售

Tel: 801.975.7200  
sales@clearone.com

## 技術支援

Tel: 801.974.3760  
videotechsupport@clearone.com